

1

# Unmixing the Mixture with Next Generation Sequencing

International Symposium on Human Identification  
Palm Beach, Florida  
November, 2025

Kari R. Danser, MS  
William P. Allan, MS  
Mark W Perlin, PhD, MD, PhD



Cybergenetics © 2003-2025

---

---

---

---

---

---

---

---

2

## Ohio v. Slater Howell

On April 7, 2014, gas station clerk Babul Kumer Saha was killed before the store was robbed.



---

---

---

---

---

---

---

---

3

## DNA Evidence

DNA samples were collected from a gas pump button, a plastic bag, and a lottery cash register slot.



---

---

---

---

---

---


---

---

4

# Capillary Electrophoresis (CE)

- Fragment analysis
- PCR based
- STR multiplex




---

---

---

---

---

---


---

---

5

## TrueAllele on CE

Quantitative STR data at locus D10




---

---

---

---

---

---


---

---

6

## Explaining the CE data

Seven-person DNA mixture




---

---

---

---


---

---

---

---

### CE Likelihood Ratio (22 loci)




---

---

---

---

---

---

---

---

### CE LR and error rate

A match between the plastic bag and Slater Howell is:

98 thousand times more probable than a coincidental match.

For a match strength of 98 thousand, only 1 in 119 million people would match as strongly.

---

---

---

---

---

---

---

---

### Case outcome

In 2017, the jury found Howell guilty.

He was sentenced to life in prison.




---

---

---

---

---

---


---

---



13

### Concordance (CE & NGS)




---

---

---

---

---

---


---

---

14

### TrueAllele on NGS

Quantitative STR data at locus D12




---

---

---

---

---

---


---

---

15

### Explaining the NGS data

Seven-person DNA mixture




---

---

---

---


---

---

---

---

### NGS Likelihood Ratio (27 loci)




---

---

---

---

---

---

---

---

### NGS LR and error rate

A match between the evidence item and the defendant is:

29 million times more probable than a coincidental match.

For a match strength of 29 million, only 1 in 12.4 billion people would match as strongly.

---

---

---

---



---

---

---

---

### CE vs. NGS



More loci, more information

---

---

---

---

---


---

---

---

## Conclusions

- TrueAllele inputs CE and NGS data
- TrueAllele solves 10-person mixtures
- NGS validation completed (2024)




---

---

---

---

---

---

---

---

## More information

<http://www.cybgen.com/information>



- Courses
- Newsletters
- Newsroom
- Presentations
- Publications
- Reliability
- Webinars

<http://www.youtube.com/user/TrueAllele>  
TrueAllele YouTube channel




---

---

---

---

---

---

---

---